

Mitsubishi / Comparison chart

Mitsubishi			Optoma	
Model	Specs		Model	Specs
 <p>EX241U</p>	<p>XGA 2600 lumens 2700:1 Up to 4000 hour lamp life Throw ratio 1.9-2.1 HDMI, RJ45, Audio In/Out, 2W 3D ready*</p>	>	 <p>FX5200</p>	<p>XGA 3300 Lumens 8000:1 6000 hours lamp life 1.97 - 2.17:1 HDMI, RJ45, Audio In/Out, 10W USB Mouse Carry Bag 3D Ready</p>
 <p>EX321U</p>	<p>XGA 3000 lumens 2700:1 Up to 4000 hour lamp life Throw ratio 1.9-2.1 HDMI, RJ45, Audio In/Out, 2W 3D ready</p>	>	 <p>FX5200</p>	<p>XGA 3300 Lumens 8000:1 6000 hours lamp life 1.97 - 2.17:1 HDMI, RJ45, Audio In/Out, 10W USB Mouse Carry Bag 3D Ready</p>
 <p>EW270U</p>	<p>WXGA 2600 lumens 2000:1 Up to 4000 hour lamp life Throw ratio 1.5-1.6 HDMI, RJ45, Audio In/Out, 2W 3D ready</p>	>	 <p>FW5200</p>	<p>WXGA 3300 Lumens 8000:1 6000 hours lamp life 1.97 - 2.17:1 HDMI, RJ45, Audio In/Out, 10W USB Mouse Carry Bag 3D Ready</p>
 <p>EX321U-ST</p>	<p>Short throw XGA 3000 lumens 2700:1 Up to 5000 hour lamp life Throw ratio 0.608 HDMI, RJ45, Audio In/Out, 10W 3D ready</p>	>	 <p>X306ST</p>	<p>XGA 3200 Lumens 18,000:1 6000 hours lamp life Throw ratio 0.626 HDMI, RJ45 Audio In/Out, 10W Full 3D</p>
 <p>EW331U-ST</p>	<p>Short throw WXGA 3000 lumens 2700:1 Up to 5000 hour lamp life Throw ratio 0.489 HDMI, RJ45, Audio In/Out, 10W 3D ready</p>	>	 <p>W306ST</p>	<p>WXGA 3600 Lumens 18,000:1 6000 hours lamp life Throw ratio 0.52 HDMI, RJ45 Audio In/Out, 10W Full 3D</p>
 <p>XD360U-EST</p>	<p>Ultra Short Throw XGA 2500 Lumens 3000:1 contrast Up to 6000 hour lamp life HDMI, RJ45, Audio In/Out, 10W USB Display, USB Reader, USB WiFi 3D ready</p>	>	 <p>EX685UTis</p>	<p>XGA 3000 Lumens 3000:1 3000 hours lamp life HDMI, RJ45, USB Reader, USB Display, USB WiFi, 12v Trigger, Mic In, Interactive, 10W 3D Ready</p>
 <p>WD390U-EST</p>	<p>Ultra Short Throw XGA 3000 Lumens 3000:1 contrast Up to 6000 hour lamp life HDMI, RJ45, Audio In/Out, 10W USB Display, USB Reader, USB WiFi 3D ready</p>	>	 <p>EW695UTis</p>	<p>WXGA 3500 Lumens 3000:1 3000 hours lamp life HDMI, RJ45, USB Reader, USB Display, USB WiFi, 12v Trigger, Mic In, Interactive, 10W 3D Ready</p>
 <p>XD560U</p>	<p>XGA 3500 lumens 3000:1 Up to 6000 hour lamp life Throw ratio 1.4-2.3 HDMI, RJ45, Audio In/Out, 10W USB Display, USB Reader, USB WiFi 3D ready</p>	>	 <p>EX631</p>	<p>XGA 3500 Lumens 8000:1 6000 hours lamp life 1.97 - 2.17:1 HDMI, RJ45, Audio In/Out, 10W USB Mouse Carry Bag 3D Ready</p>

















Mitsubishi / Comparison chart

Mitsubishi	
Model	Specs
 <p>WD570U</p>	<p>WXGA 3500 lumens 3000:1 Throw ratio 1.5-2.3 HDMI, RJ45, Audio In/Out, 10W USB Display, USB Reader, USB WiFi 3D ready</p>
 <p>XD700U</p>	<p>XGA 5000 lumens 3000:1 Up to 3000 hours lamp life</p>
 <p>WD720U</p>	<p>WXGA 4300 Lumens 3000:1 Up to 5000 hours lamp life</p>
 <p>FD730U</p>	<p>Full HD 4100 Lumens 3000:1 Up to 3000 hour lamp life</p>
 <p>UD740U</p>	<p>WUXGA 4100 lumens 3000:1 Up to 5000 hour lamp life</p>
 <p>XL7000U</p>	<p>XGA 5200 lumens 2000:1 Up to 3000 hour lamp life</p>
 <p>XL7100U</p>	<p>XGA 6000 lumens 2000:1 Up to 4000 hour lamp life</p>
 <p>WL7050U</p>	<p>WXGA 4700 lumens 2000:1 Up to 4000 hour lamp life</p>
 <p>WL7200U</p>	<p>WXGA 5500 lumens 2000:1 Up to 4000 hour lamp life</p>



Optoma	
Model	Specs
 <p>EW631</p>	<p>WXGA 3500 Lumens 8000:1 6000 hours lamp life 1.97 - 2.17:1 HDMI, RJ45, Audio In/Out, 10W USB Mouse Carry Bag 3D Ready</p>
 <p>X600</p>	<p>XGA 6000 lumens 10,000:1 Up to 3500 hours lamp life</p>
 <p>W401</p>	<p>WXGA 4500 lumens 15:000:1 Up to 7000 hours lamp life</p>
 <p>EH2060</p>	<p>Full HD 4000 Lumens 2500:1 Up to 3000 hour lamp life</p>
 <p>EX785</p>	<p>XGA 5000 lumens 2000:1 Up to 2000 hour lamp life 24/7 operation</p>
 <p>EX855</p>	<p>XGA 5500 lumens 4000:1 Up to 2500 hour lamp life Self cleaning filter 24/7 operation Geo/edge blend option</p>
 <p>EW775</p>	<p>WXGA 4500 lumens 2000:1 Up to 2000 hour lamp life 24/7 operation</p>
 <p>EW865</p>	<p>WXGA 6000 lumens 4000:1 Up to 2500 hour lamp life Self cleaning filter 24/7 operation Geo/edge blend option</p>

Mitsubishi / Comparison chart

Mitsubishi			Optoma	
Model	Specs		Model	Specs
 <p>UL7400U</p>	<p>WUXGA 5000 lumens 2000:1 Up to 4000 hour lamp life</p>	>	 <p>EH505</p>	<p>WUXGA 5000 lumens 2000:1 Up to 3500 hour lamp life 24/7 operation</p>
 <p>XD3500U</p>	<p>XGA 5000 lumens 2500:1 contrast Up to 4000 hour lamp life</p>	>	 <p>EX785</p>	<p>XGA 5000 lumens 2000:1 Up to 2000 hour lamp life 24/7 operation</p>
 <p>WD3300U</p>	<p>WXGA 4000 lumens 2300:1 Up to 4000 hour lamp life</p>	>	 <p>W501</p>	<p>WXGA 5000 lumens 10,000:1 Up to 4000 hour lamp life 24/7 operation</p>
 <p>XD8100U</p>	<p>Dual lamp XGA 7000 lumens 24/7 operation Self cleaning filter</p>	>	N/A	
 <p>XD8500U</p>	<p>Dual lamp XGA 7000 Lumens 24/7 operation Self cleaning filter</p>	>	N/A	
 <p>XD8600U</p>	<p>Dual lamp XGA 8500 lm 24/7 operation Self cleaning filter</p>	>	N/A	
 <p>WD8700U</p>	<p>Dual lamp WXGA 7300 lumens 24/7 operation Self cleaning filter</p>	>	 <p>EW865</p>	<p>WXGA 6000 lumens 4000:1 24/7 operation Self cleaning filter Geo/edge blend option</p>
 <p>UD8350U</p>	<p>Dual lamp WUXGA 6500 lumens 2000:1 Self cleaning filter</p>	>	 <p>EH7500</p>	<p>Dual lamp WUXGA 6500 lumens 2000 : 1 24/7 operation</p>
 <p>UD8400U</p>	<p>Dual lamp WUXGA 6500 lumens 2000:1 Self cleaning filter</p>	>		
 <p>UD8850U</p>	<p>Dual lamp WUXGA 7500 lumens 2800:1 contrast Self Cleaning filter</p>	>	 <p>EH7700</p>	<p>Dual lamp WUXGA 6500 lumens 5000 : 1 24/7 operation 360' Operation Mechanical Shutter</p>



Optoma Europe Ltd.

42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ

www.optoma.com